J. Mamm., 65(4):750–768, 1984

INDEX TO VOLUME 65

New names in *italic* type

Abrothrix:
  longipilis, 217, 438
  sanborni, 217
Abathmodon fossilis, 557
Acinonyx jubatus, 718
Activity:
  Dipodomys deserti, 92
  Dipodomys merriami, 92, 353
  Dipodomys microps, 92
  Gerbillus allenbyi, 92
  Gerbillus henleyi, 92
  Gerbillus pyramidum, 92
  Halichoerus grypus, 291
  Meriones crassus, 92
  Microtus pinetorum, 696
  Neotoma albigula, 353
  Odocoileus hemionus, 404
  Onychomys torridus, 353
  Perognathus amplus, 353
  Perognathus penicillatus, 353
  Peromyscus maniculatus, 92
  Tamias striatus, 521
  Thomomys bottae, 76
Adair, R. A.:
  (see Green, J. S.)
Adams, M. A.:
  (see Kalina, J.)
Aging:
  Bison bison, 487
  Eutamias quadrivittatus, 443
  Macaca fuscata, 341
  Odocoileus hemionus, 410
Akodon:
  albiventer, 217
  andinus, 217
  azarae, 206, 438
  boliviensis, 217
  brachiotis, 217
  dolores, 206
  jelskii, 217
  lanosus, 438
  llanoi, 438
  longipilis, 433
  molinae, 206
  mollis, 206
  nigrita, 217
  obscurus, 206, 438
  olivaceous, 217, 433, 515
  sanborni, 438
  urichi, 206
  varius, 206
  xanthorhinus, 217, 438
Alabama:
  Sciurus carolinensis, 681
  Sigmodon hispidus, 467
  Sylvilagus palustris, 28
Alaska:
  Mirounga angustirostris, 281
Alberta:
  Spermophilus columbianus, 137, 688
  Spermophilus richardsonii, 59
Alcelaphus bucelaphus, 421
Alces alces, 572
Allen, S. H.:
  Some aspects of reproductive performance in female red fox in North Dakota, 246
Alopex lagopus, 246
Alt, G. L.:
  Cub adoption in the black bear, 511
Altanius orlovi, 721
Ailuropoda, 157
Amorphochilus schnablii, 710
Amphiperatherium, 544
Anatomy:
  Artibeus jamaicensis, 395
  Chiroderma villosum, 163
  Geomys bursarius, 231
  Glossophaga longirostris, 395
  Hipposideros armiger, 395
  Hypsignathus monstrosus, 395
  Isoodon macrourus, 159
  Macrotus waterhousii, 395
  Micropteropus pusilla, 395
  Molossus molossus, 395
  Myotis lucifugus, 395
  Neotoma floridana, 231
  Noctilio albiventris, 711
  Noctilio leporinus, 395, 711
  Nycteris thebaica, 395
  Otomops martiensseni, 395
  Penthetor lucasi, 395
  Perameles nasuta, 159
  Rhinolophus affinis, 395
  Rhinopoma hardwickei, 395
  Stirnira lilium, 163
  Tadarida brasiliensis, 388
  Taphozous melanopogon, 395
  Uroderma bilobatum, 163
Anderson, J.:
  (see Green, B.)
Anderson, P. K.:
  Suckling in Dugong dugon, 510
Anemorhysis:
  pearcei, 722
  sublettensis, 722
Anoura:
  caudifer, 482
  cultrata, 462
Antechinus:
  flavipes, 160
  stuartii, 160
  swainsonii, 160
Antilocapra americana, 421, 718
Antrozous pallidus, 317, 480
Apodemus:
  flavicollis, 424
  sylvaticus, 424
Arctic:
  Odobenus rosmarus, 352
  Ursus maritimus, 352
Arctocebus calabarensis, 590
Arctocephalus:

J. Mamm., 65(4):750–768, 1984

INDEX TO VOLUME 65

New names in *italic* type

Abrothrix:
  longipilis, 217, 438
  sanborni, 217
Abathmodon fossilis, 557
Acinonyx jubatus, 718
Activity:
  Dipodomys deserti, 92
  Dipodomys merriami, 92, 353
  Dipodomys microps, 92
  Gerbillus allenbyi, 92
  Gerbillus henleyi, 92
  Gerbillus pyramidum, 92
  Halichoerus grypus, 291
  Meriones crassus, 92
  Microtus pinetorum, 696
  Neotoma albigula, 353
  Odocoileus hemionus, 404
  Onychomys torridus, 353
  Perognathus amplus, 353
  Perognathus penicillatus, 353
  Peromyscus maniculatus, 92
  Tamias striatus, 521
  Thomomys bottae, 76
Adair, R. A.:
  (see Green, J. S.)
Adams, M. A.:
  (see Kalina, J.)
Aging:
  Bison bison, 487
  Eutamias quadrivittatus, 443
  Macaca fuscata, 341
  Odocoileus hemionus, 410
Akodon:
  albiventer, 217
  andinus, 217
  azarae, 206, 438
  boliviensis, 217
  brachiotis, 217
  dolores, 206
  jelskii, 217
  lanosus, 438
  llanoi, 438
  longipilis, 433
  molinae, 206
  mollis, 206
  nigrita, 217
  obscurus, 206, 438
  olivaceous, 217, 433, 515
  sanborni, 438
  urichi, 206
  varius, 206
  xanthorhinus, 217, 438
Alabama:
  Sciurus carolinensis, 681
  Sigmodon hispidus, 467
  Sylvilagus palustris, 28
Alaska:
  Mirounga angustirostris, 281
Alberta:
  Spermophilus columbianus, 137, 688
  Spermophilus richardsonii, 59
Alcelaphus bucelaphus, 421
Alces alces, 572
Allen, S. H.:
  Some aspects of reproductive performance in female red fox in North Dakota, 246
Alopex lagopus, 246
Alt, G. L.:
  Cub adoption in the black bear, 511
Altanius orlovi, 721
Ailuropoda, 157
Amorphochilus schnablii, 710
Amphiperatherium, 544
Anatomy:
  Artibeus jamaicensis, 395
  Chiroderma villosum, 163
  Geomys bursarius, 231
  Glossophaga longirostris, 395
  Hipposideros armiger, 395
  Hypsignathus monstrosus, 395
  Isoodon macrourus, 159
  Macrotus waterhousii, 395
  Micropteropus pusilla, 395
  Molossus molossus, 395
  Myotis lucifugus, 395
  Neotoma floridana, 231
  Noctilio albiventris, 711
  Noctilio leporinus, 395, 711
  Nycteris thebaica, 395
  Otomops martiensseni, 395
  Penthetor lucasi, 395
  Perameles nasuta, 159
  Rhinolophus affinis, 395
  Rhinopoma hardwickei, 395
  Stirnira lilium, 163
  Tadarida brasiliensis, 388
  Taphozous melanopogon, 395
  Uroderma bilobatum, 163
Anderson, J.:
  (see Green, B.)
Anderson, P. K.:
  Suckling in Dugong dugon, 510
Anemorhysis:
  pearcei, 722
  sublettensis, 722
Anoura:
  caudifer, 482
  cultrata, 462
Antechinus:
  flavipes, 160
  stuartii, 160
  swainsonii, 160
Antilocapra americana, 421, 718
Antrozous pallidus, 317, 480
Apodemus:
  flavicollis, 424
  sylvaticus, 424
Arctic:
  Odobenus rosmarus, 352
  Ursus maritimus, 352
Arctocebus calabarensis, 590
Arctocephalus:

forsteri, 295
townsendi, 295
tropicalis, 295
Arganbright, K.:
Electromyographic analysis of an intrinsic wing muscle in Antrozous pallidus, 480
Argentina:
Akodon dolores, 207
Akodon molinae, 207
Akodon varius, 207
Phyllotis darwini, 220
Arizona:
Canis latrans, 51
Dipodomys merriami, 353
Eutamias quadrivittatus, 442
Neotoma albigula, 354
Onychomys torridus, 353
Perognathus amplus, 353
Perognathus penicillatus, 353
Peromyscus boylii, 467
Peromyscus merriami, 466
Sigmodon arizonae, 467
Ursus americanus, 350
Vulpes macrotis, 51
Arkansas:
Sigmodon hispidus, 467
Arrau, J.:
(see Walker, L. I.)
Artibeus:
cinereus, 166
jamaicensis, 166, 395, 710
Arvicola terrestris, 424
Atelocynus, 557
Atlantic Ocean:
Megaptera novaeangliae, 330
Aurioles, D., C. Fox, F. Sinsel, and G. Tanos:
Prey of the California sea lion (Zalophus californianus) in the bay of La Paz, Baja California Sur, Mexico, 519
Australia:
Antechinus flavipes, 160
Antechinus stuartii, 160
Antechinus swainsonii, 160
Dasyurus maculatus, 160
Dasyurus viverrinus, 160
Dugong dugon, 510
Isoodon macrourus, 159
Macropus eugenii, 160
Perameles nasuta, 159
Petauroides volans, 160
Sminthopsis crassicaudata, 160
Sminthopsis murina, 160
Trichosurus vulpecula, 160
Axis axis, 310

Baja California:
Mirounga angustirostris, 281
Zalophus californianus, 519
Baker, R. J.:
(see Hood, C. S.)
(see Nelson, K.)
(see Stangl, F. B., Jr.)
Barkley, L. J.:
(see Graham, G. L.)
(see Hafner, M. S.)
Barkley, L. J., and J. O. Whitaker, Jr.:
Confirmation of Caenolestes in Peru with information on diet, 328
Barrett, G. W.:
(see Knuth, B. A.)
Barry, R. E., Jr., M. A. Botje, and L. B. Grantham:
Vertical stratification of Peromyscus leucopus and P. maniculatus in southwestern Virginia, 145
Bass, T. A.:
(see Price, M. V.)
Bassett, J. E.:
Litter size and postnatal growth rate in the pallid bat, Antrozous pallidus, 317
Batzli, G. O.:
(see Lindroth, R. L.)
Behavior:
Bison bison, 418
Canis lupus, 143, 693
Dugong dugon, 510
Enhydra lutris, 527
Eptesicus fuscus, 320
Euderma maculatum, 122
Halichoerus grypus, 291
Lepus californicus, 136
Microtus pennsylvanicus, 85
Myotis velifer, 320
Ochrotomys nuttalli, 576
Odobenus rosmarus, 352
Odocoileus hemionus, 404, 415
Odocoileus virgianus, 143
Peromyscus leucopus, 576, 699
Peromyscus maniculatus, 699
Phyllotis darwini, 220
Pipistrellus subflavus, 320
Plecotus townsendii, 320
Procyon lotor, 197
Spermophilus columbianus, 137
Sylvilagus nuttallii, 11
Tachyoryctes splendens, 149
Tadarida brasiliensis, 320
Ursus americanus, 511
Ursus maritimus, 352, 693
Vampyressa pusilla, 166
Behrends, P.:
(see Daly, M.)
Belize:
Sigmodon hispidus, 467
Berta, A.:
The Pleistocene bush dog Speothos pacivorus (Canidae) from the Lagoa Santa Caves, Brazil, 549
Bianchi, N. O., and S. Merani:
Cytogenetics of South American akodont rodents (Cricetidae). X. Karyological distances at generic and intergeneric levels, 206
Bigg, M. A.:
Stimuli for parturition in northern fur seals (Callorhinus ursinus), 333

Bioenergetics:
Ochrotomys nuttalli, 576
Peromyscus leucopus, 576
Biogeography:
Spethos pacivorus, 558
Bison bison, 418, 487
Blancan:
Sigmodon, 471
Blarina brevicauda, 700
Boag, D. A.:
(see Murie, J. O.)
Bolomys obscurus, 206
Bones, D. J.:
Activity budget of male gray seals, Halichoerus grypus, 291
Botje, M. A.:
(see Barry, R. E., Jr.)
Bottrell, A.:
(see Shackleton, D. M.)
Bowyer, R. T.:
Sexual segregation in southern mule deer, 410
Brachylagus, 30
Brazil:
Ctenomys torquatus, 637
Proechimys dimidiatus, 23
Proechimys iheringi, 23
Proechimys oris, 17
Speothos pacivorus, 549
Breeding:
Bison bison, 418
Canis latrans, 506
Spermophilus richardsonii, 59
Zalophus californianus, 695
Brisbin, I. L., and M. S. Lenarz:
Morphological comparisons of insular and mainland populations of southeastern white-tailed deer, 44
British Columbia:
Callorhinus ursinus, 333
Euderma maculatum, 123
Mirounga angustirostris, 281
Ovis canadensis, 337
Ovis dalli, 513
Brown, D. E.:
(see Waddell, T. E.)
Brown, T. M.:
(see Simons, E. L.)
Brum-Zorrilla, N.:
(see Seluja, G. A.)
Buech, R. R.:
Ontogeny and diurnal cycle of fecal reingestion in the North American beaver (Castor canadensis), 347
Bunnell, F. L.:
(see Seip, D. R.)

Cadwell, L. L.:
(see Eberhardt, L. E.)
Caenolestes fuliginosus, 328
Caire, W., J. F. Smith, S. McGuire, and M. A. Royce:
Early foraging behavior of insectivorous bats in western Oklahoma, 319
California:
Antrozous pallidus, 317
Dipodomys merriami, 338
Dipodomys microps, 338
Enhydra lutris, 527
Glaucomys sabrinus, 138
Microtus californicus, 271
Microtus longicaudus, 325
Microtus montanus, 325
Mirounga angustirostris, 281
Odocoileus hemionus, 410
Peromyscus maniculatus, 325
Reithrodontomys megalotis, 271, 670
Reithrodontomys raviventris, 655, 670
Sorex lyelli, 325
Sorex merriami, 325
Sorex monticolus, 326
Sorex palustris, 325
Sorex preblei, 325
Sorex tenellus, 325
Sorex trowbridgii, 326
Sorex vagrans, 325
Spermophilus lateralis, 326
Tamias amoenus, 325
Thomomys monticola, 326
Thomomys talpoides, 325
Zalophus californianus, 695
Zapus princeps, 326
Callorhinus ursinus, 288, 333
Calomys, 439
Caluromys philander, 160
Campeche:
Peromyscus yucatanicus, 459
Canada:
Alopex lagopus, 246
Bison bison, 487
Canis:
latrans, 51, 506
lupus, 143, 375, 421, 693
mesomelas, 422
Capreolus capreolus, 310
Cardioderma cor, 482
Cardosa, H.:
(see Seluja, G. A.)
Castor:
canadensis, 347, 673
fiber, 347
Census:
Bison bison, 418
Central America:
Stenella attenuata, 375
Cephalophus:
callipygus, 298
dorsalis, 298
leucogaster, 298
monticola, 298
nigrifrons, 298
sylvicultor, 298
Cerdocyon, 557
Cervus:
duvauceli, 310
elaphus, 48, 421, 524, 571
unicolor, 310
Chierogaleus medius, 590
Chesser, R. K.:
(see Nelson, K.)

Chiapas:
Chiroderma villosum, 163
Peromyscus guatemalensis, 459
Peromyscus gymnotis, 459
Peromyscus zarhynchus, 459
Sigmodon hispidus, 467
Chile:
Akodon longipilis, 433
Akodon olivaceous, 433
Dusicyon griseus, 515
Phyllotis darwini, 220
China:
Ernanodon antelios, 155
Chiroderma:
salvini, 710
villosum, 163
Choeroniscus minor, 710
Choloepus didactylus, 157
Chroeomys, 217
Chrotopterus auritus, 482, 710
Clethrionomys:
gapperi, 85, 700
glareolus, 259, 424
Coahuila:
Peromyscus hooperi, 466
Peromyscus melanophrys, 467
Peromyscus pectoralis, 467
Colima:
Peromyscus banderanus, 466
Colombia:
Hoplomys gymnurus, 24
Proechimys canicollis, 15
Proechimys chrysaeolus, 23
Proechimys decumanus, 17
Proechimys hoplomyoides, 23
Proechimys magdalenae, 23
Proechimys mincae, 18
Proechimys oconnelli, 17
Proechimys semispinosus, 17
Proechimys simonsi, 21
Colorado:
Cervis elaphus, 524
Eutamias quadrivittatus, 442
Microtus ochrogaster, 263
Sciurus aberti, 684
Communication:
Euderma maculatum, 122
Competition:
Microtus californicus, 271
Peromyscus leucopus, 145
Peromyscus maniculatus, 145
Reithrodontomys megalotis, 271
Condit, R., and B. J. Le Boeuf:
Feeding habits and feeding grounds of the northern elephant seal, 281
Condit, R. S.:
(see Keith, E. O.)
Connochaetes taurinus, 418
Contreras, L. C.:
Bioenergetics of huddling: test of a psychophysiological hypothesis, 256
Costa Rica:
Chiroderma villosum, 163
Proechimys semispinosus, 17
Reithrodontomys creper, 670
Reithrodontomys sumichrasti, 672
Sturnira lilium, 163
Vampyressa pusilla, 166
Cothran, E. G., and R. L. Honeycutt:
Chromosomal differentiation of hybridizing ground squirrels (Spermophilus mexicanus and S. tridecemlineatus), 118
Cox, G. W., and C. G. Gakahu:
The formation of Mima mounds in the Kenya highlands: a test of the Dalquest-Scheffer hypothesis, 149
Crawford, B.:
(see Thomas, D. W.)
Crerar, L. M.:
(see Fenton, M. B.)
Crocuta crocuta, 420, 593
Ctenomys:
maulinus, 641
torquatus, 637
Cynomys, 450:
leucurus, 64
ludovicianus, 231

Dalquest, W. W., and F. B. Stangl, Jr.:
The taxonomic status of Myotis magnamolaris, Choate and Hall, 485
Daly, M., M. I. Wilson, and P. Behrends:
Breeding of captive kangaroo rats, Dipodomys merriami and D. microps, 338
Damaliscus dorcas, 421
Daniels, H.:
Oxygen consumption in Lemur fulvus: deviation from the ideal model, 584
Dasypus novemcinctus, 160
Dasyurus:
maculatus, 160
viverrinus, 160
Daubentonia madagascariensis, 584
Delphinus, 375
Demography:
Geomys attwateri, 67
Density:
Akodon longipilis, 433
Akodon olivaceous, 433
Microtus californicus, 271
Odocoileus hemionus, 410
Reithrodontomys megalotis, 271
Dentition:
Alopex lagopus, 34
Bison bison, 487
Felis rufus, 111
Phocoena phocoena, 491
Stenella attenuata, 385
Vulpes vulpes, 34
Description:
Neotoma *findleyi*, 561
Neotoma *pygmaea*, 564
Peratherium *africanus*, 540
Sylvilagus palustris *hefneri*, 26
Development:
Alopex lagopus, 34
Enhydra lutris, 527
Mus musculus, 697

Peromyscus maniculatus, 504
Vulpes vulpes, 34
Dicotyles tajacu, 51
Didelphis:
albiventris, 702
marsupialis, 160
virginiana, 705
Diet:
Akodon longipilis, 433
Akodon olivaceous, 433, 515
Caenolestes fuliginosus, 328
Felis catus, 426
Lemmus sibiricus, 139
Lepus europaeus, 515
Marmosa elegans, 515
Microtus ochrogaster, 139
Microtus oeconomus, 139
Oryzomys longicaudatus, 515
Phyllotis darwini, 515
Procyon lotor, 152
Sciurus aberti, 684
Digestion:
Castor canadensis, 347
Dipodomys:
agilis, 81
deserti, 92
merriami, 92, 338, 354
microps, 92, 338
ordii, 92, 338, 355, 381
spectabilis, 355
Dispersal:
Geomys attwateri, 67
Microtus ochrogaster, 357
Microtus pennsylvanicus, 691, 727
Odocoileus hemionus, 404
Odocoileus virginianus, 567
Sigmodon hispidus, 357
Distribution:
Akodon longipilis, 433
Akodon olivaceous, 433
Artibeus jamaicensis, 710
Caenolestes fuliginosus, 328
Chiroderma salvini, 710
Choerniscus minor, 710
Enchisthenes harti, 710
Eumops hansae, 710
Eutamias quadrivittatus, 444
Glossophaga commisarisi, 709
Lonchophylla handleyi, 709
Lonchophylla robusta, 709
Mirounga angustirostris, 281
Molossops planirostris, 710
Mormoops megalophylla, 709
Proechimys brevicauda, 22
Proechimys canicollis, 23
Proechimys chrysaeolus, 23
Proechimys decumanus, 23
Proechimys dimidiatus, 23
Proechimys guairae, 23
Proechimys hoplomyoides, 23
Proechimys iheringi, 23
Proechimys magdalenae, 23
Proechimys mincae, 23
Proechimys oconnelli, 23
Proechimys semispinosus, 23
Sorex preblei, 708
Stenella attenuata, 376
Zygogeomys trichopus, 474
Di Tomaso, M. V.:
(see Seluja, G. A.)
Douglas, M. E., G. D. Schnell, and D. J. Hough:
Differentiation between inshore and offshore spotted dolphins in the eastern tropical Pacific Ocean, 375
Dubost, G.:
Comparison of the diets of frugivorous forest ruminants of gabon, 298
Dueser, R. D., R. K. Rose, and J. H. Porter:
A body-weight criterion to identify dispersing small mammals, 727
Drickamer, L. C.:
Acceleration of puberty by a urinary chemosignal from pregnant and lactating Mus musculus, 697
Drickamer, L. C.:
Captures of two species of Peromyscus at live traps baited with male and female odors, 699
Dugong dugon, 163, 510
Durango:
Reithrodontomys zacatecae, 670
Sigmodon fulviventer, 467
Sigmodon ochrognathus, 467
Dusicyon, 557:
griseus, 515

Eastman, S.:
(see Thomas, D. W.)
Eberhardt, L. E., E. E. Hanson, and L. L. Caldwell:
Movement and activity patterns of mule deer in the sagebrush-steppe region, 404
Echolocation:
Euderma maculatum, 122
Ecology:
Akodon longipilis, 433
Akodon olivaceous, 433
Bison bison, 418
Felis catus, 431
Microtus californicus, 271
Odocoileus hemionus, 404, 410
Peromyscus leucopus, 145
Peromyscus maniculatus, 145
Procyon lotor, 197
Reithrodontomys megalotis, 271
Sigmodon hispidus, 267
Sylvilagus nuttalli, 134
Tachyoryctes splendens, 149
Zygogeomys trichopus, 477
Ectophylla alba, 166
Ecuador:
Akodon mollis, 206
Proechimys decumanus, 17
Proechimys gularis, 16
Proechimys hindeei, 17
Proechimys quadruplicatus, 16
Proechimys semispinosus, 16
Proechimys simonsi, 14
Eidolon helvum, 6

Electrophoresis:
Peromyscus, 466
Sigmodon, 466
Zygogeomys trichopus, 474
Elephas maximus, 718
Elphidotarsius, 721
Emmons, L. H.:
(see Gardner, A. L.)
Enchisthenes harti, 710
Energetics:
Crocuta crocuta, 593
Meriones unguiculatus, 256
Mus musculus, 256
Mustela nivalis, 517
Panthera leo, 593
Tamias striatus, 521
England:
Vulpes vulpes, 252
Enhydra lutris, 527
Epomops buettikoferi, 485
Engstrom, M. D.:
(see Rogers, D. S.)
Eocene:
Altanius orlovi, 721
Cricetidae, 471
Eptesicus fuscus, 320
Erinaceus europaeus, 162
Ernanodon antelios, 155
Eubalaena glacialis, 330
Euderma maculatum, 122
Eumetopias jubatus, 288, 295, 334
Eumops:
glaucinus, 710
hansae, 710
Eutamias:
bulleri, 450
canipes, 442
cinereicollis, 446
durangae, 450
hopiensis, 442
merriami, 450
minimus, 450
obscurus, 450
quadrivittatus, 442
rufus, 442
townsendii, 450
umbrinus, 450
Evolution:
Geomys bursarius, 231
Peromyscus, 459, 466, 643
Sigmodon, 466

Fairbrother, A., and T. M. Yuill:
Experimental viral infections of deer mice (Peromyscus maniculatus), 499
Farentinos, R. C.:
(see Kotter, M. M.)
Fedigan, L.:
(see Gouzoules, H.)
Feldman, J. L., and C. J. Phillips:
Comparative retinal pigment epithelium and photoceptor structure in nocturnal and fossorial rodents: the eastern woodrat, Neotoma floridana, and the plains pocket gopher, Geomys bursarius, 231
Felis:
catus, 424
concolor, 496
rufus, 111, 496
sylvestris, 112
Fenton, M. B., and L. M. Crerar:
Cervical vertebrae in relation to roosting posture in bats, 395
Fenton, M. B.:
(see Leonard, M. L.)
Florida:
Procyon lotor, 199
Sigmodon hispidus, 263
Sylvilagus palustris, 26
Tadarida brasiliensis, 389
Foehring, R. C., and J. W. Hermanson:
Morphology and histochemistry of flight muscles in free-tailed bats, Tadarida brasiliensis, 388
Food habits:
Akodon longipilis, 437
Akodon olivaceous, 437
Castor canadensis, 347
Cephalophus callipygus, 300
Cephalophus dorsalis, 300
Cephalophus leucogaster, 300
Cephalophus monticola, 300
Cephalophus nigrifrons, 300
Cephalophus sylvicultor, 300
Dusicyon griseus, 515
Epomops buettikoferi, 485
Felis catus, 424
Hyemoschus aquaticus, 300
Micropteropus pusillus, 485
Microtus pennsylvanicus, 600
Mirounga angustirostris, 281
Mustela nivalis, 517
Odocoileus hemionus, 410
Sciurus aberti, 685
Sciurus granatensis, 342
Sciurus variegatoides, 342
Sylvilagus nuttalli, 131
Zalophus californianus, 519
Fossil:
Myotis magnamolaris, 485
Myotis velifer, 486
Neotoma *findleyi*, 561
Neotoma *pygmaea*, 564
Peratherium *africanus*, 540
Zygogeomys, 474
Fox, C.:
(see Aurioles, D.)
Francq, E. N.:
(see McShea, W. J.)
French Guiana:
Proechimys guyannensis, 20
Freitas, T. R. O., and E. P. Lessa:
Cytogenetics and morphology of Ctenomys torquatus (Rodentia: Octodontidae), 637
Fuller, B., M. R. Lee, and L. R. Maxson:
Albumin evolution in Peromyscus and Sigmodon, 466

Function:
Acinonyx jubatus, 718
Alopex lagopus, 34
Antilocapra americana, 718
Antrozous pallidus, 480
Elephas maximus, 718
Lepus californicus, 718
Vulpes vulpes, 34

Gabon:
Cephalophus callipygus, 298
Cephalophus dorsalis, 298
Cephalophus leucogaster, 298
Cephalophus monticola, 298
Cephalophus nigrifrons, 298
Cephalophus sylvicultor, 298
Hyemoschus aquaticus, 298
Hylochoerus meinertzhageni, 298
Neotragus batesi, 298
Potamochoerus porcus, 298
Syncerus caffer, 298
Taurotragus euryceros, 298
Tragelaphus spekei, 298
Gakahu, C. G.:
(see Cox, G. W.)
Galago demidovii, 590
Gardner, A. L., and L. H. Emmons:
Species groups in Proechimys (Rodentia: Echimyidae) as indicated by karyology and bullar morphology, 10
Gehman, S. D.:
(see Verts, B. J.)
Genetics:
Castor canadensis, 673
Reithrodontomys creper, 668
Reithrodontomys fulvescens, 668
Reithrodontomys humulis, 668
Reithrodontomys megalotis, 668
Reithrodontomys raviventris, 668
Reithrodontomys sumichrasti, 668
Reithrodontomys zacatecae, 668
Spermophilus mexicanus, 118
Spermophilus tridecemlineatus, 118
Zygogeomys trichopus, 474
Geomys:
attwateri, 67
bursarius, 73, 76, 149, 231
pinetis, 149
Georgia:
Odocoileus virginianus, 44
Procyon lotor, 199
Sylvilagus palustris, 28
Gerbillus:
allenbyi, 92
henleyi, 92
pyramidum, 92
Gestation:
Dipodomys merriami, 338
Dipodomys microps, 338
Ovis canadensis, 337
Gettinger, R. D.:
A field study of activity patterns of Thomomys bottae, 76
Gillingham, B. J.:
Meal size and feeding rate in the least weasel (Mustela nivalis), 517
Giraffa camelopardalis, 311
Glanz, W. E.:
Food and habitat use by two sympatric Sciurus species in central Panama, 342
Glanz, W. E.:
Ecological relationships of two species of Akodon in central Chile, 433
Glass, G. E.:
(see Slade, N. A.)
Glaucomys sabrinus, 138, 685
Glofscheskie, R.:
(see Thomas, D. W.)
Glossophaga:
commissarisi, 709
longirostris, 395
Golightly, R. T., and R. D. Ohmart:
Water economy of two desert canids: coyote and kit fox, 51
Gorilla gorilla, 375
Gouzoules, H., L. Fedigan, S. Gouzoules, and L. Fedigan:
Comments on reproductive senescence among female Japanese macaques, 341
Gouzoules, S.:
(see Gouzoules, H.)
Graham, G. L., and L. J. Barkley:
Noteworthy records of bats from Peru, 709
Grantham, L. B.:
(see Barry, R. E., Jr.)
Green, B., J. Anderson, and T. Whateley:
Water and sodium turnover and estimated food consumption in free-living lions (Panthera leo) and spotted hyaenas (Crocuta crocuta), 593
Green, J. S., R. A. Adair, R. A. Woodruff, and J. N. Stellflug:
Seasonal variation in semen production by captive coyotes, 506
Green, I. F.:
(see Rogers, D. S.)
Gregory, M. J.:
(see Lacki, M. J.)
Growth rates:
331 mammalian species, 614
Antrozous pallidus, 317
Peromyscus leucopus, 98
Sigmodon hispidus, 263
Guanajuato:
Sigmodon fulviventer, 467
Guerrero:
Sigmodon mascotensis, 467
Gulf of California:
Stenella attenuata, 375
Gunn, S. J.:
(see Rogers, D. S.)
Guntenspergen, G. R.:
(see Lindroth, R. L.)

Habitat:
Akodon longipilis, 433
Akodon olivaceous, 433

Dipdomys merriami, 353
Felis catus, 424
Microtus pennsylvanicus, 600
Neotoma albigula, 353
Odocoileus hemionus, 404, 410
Onychomys torridus, 353
Perognathus amplus, 353
Perognathus penicillatus, 353
Peromyscus leucopus, 675
Sciurus granatensis, 342
Sciurus variegatoides, 342
Sorex lyelli, 325
Sorex merriami, 325
Sorex preblei, 325
Sorex tenellus, 325
Zygogeomys trichopus, 478
Hafner, M. S., and L. J. Barkley:
Genetics and natural history of a relictual pocket gopher, Zygogeomys (Rodentia: Geomyidae), 474
Halichoerus grypus, 291, 335
Hanson, E. E.:
(see Eberhardt, L. E.)
Harris, A. H.:
Two new species of late Pleistocene woodrats (Cricetidae: Neotoma) from New Mexico, 560
Hawaii:
Mirounga angustirostris, 281
Stenella longirostris, 104
Haynes, G.:
Tooth wear rate in northern bison, 487
Haywood, J.:
(see Shackleton, D. M.)
Heir, M.:
(see Thomas, D. W.)
Heliophobius argenteocinereus, 81
Hembree, D.:
(see Martin, A. R.)
Hemingfordian:
Peromyscus, 471
Sigmodon, 471
Hemphillian:
Peromyscus, 471
Hermanson, J. W.:
(see Foehring, R. C.)
Herpetotherium, 544
Heske, E. J., R. S. Ostfeld, and W. Z. Lidicker, Jr.:
Competitive interactions between Microtus californicus and Reithrodontomys megalotis during two peaks of Microtus abundance, 271
Hildebrand, M.:
Rotations of the leg segments of three fast-running cursors and an elephant, 718
Hipposideros:
armiger, 395
speoris, 393
Histology:
Antechinus flavipes, 160
Antechinus stuartii, 160
Antechinus swainsonii, 160
Dasyurus maculatus, 160
Dasyurus viverrinus, 160
Isoodon macrourus, 159
Macroglossus lagochilus, 1
Macropus eugenii, 160
Perameles nasuta, 159
Petauroides volans, 160
Sminthopsis crassicaudata, 160
Sminthopsis murina, 160
Trichosurus vulpecula, 160
Hitchcock, H. B., R. Keen, and A. Kurta:
Survival rates of Myotis leibii and Eptesicus fuscus in southeastern Ontario, 126
Hoffmann, R. S.:
(see Tomasi, T. E.)
Holocene:
Speothos pacivorus, 549
Home range:
Odocoileus hemionus, 404
Odocoileus virginianus, 567
Thomomys bottae, 82
Homo sapiens, 375
Honduras:
Proechimys semispinosus, 21
Honeycutt, R. L.:
(see Cothran, E. G.)
Hood, C. S., L. W. Robbins, R. J. Baker, and H. S. Shellhammer:
Chromosomal studies and evolutionary relationships of an endangered species, Reithrodontomys raviventris, 655
Hood, C. S., and J. D. Smith:
Histology of a sexually dimorphic integumentary gland in Macroglossus lagochilus (Chiroptera: Pteropodidae), 1
Hoplomys gymnurus, 11
Hoppe, K. M., P.E. Johns, and M. H. Smith:
Biochemical variability in a population of beaver, 673
Hough, D. J.:
(see Douglas, M. E.)
Hundertmark, K. J.:
(see Verts, B. J.)
Hybridization:
Phyllotis darwini, 220
Spermophilus mexicanus, 118
Spermophilus tridecemlineatus, 118
Hyemoschus aquaticus, 298
Hylochoerus meinertzhageni, 298
Hypsignathus monstrosus, 395

Icaronycteris index, 395
Ichthyomys, 439
Ictidomys, 121
Idaho:
Canis latrans, 506
Microtus montanus, 276
Reithrodontomys megalotis, 276
Illinois:
Microtus ochrogaster, 467
Microtus pennsylvanicus, 600
Peromyscus leucopus, 467
Peromyscus maniculatus, 467
Immunology:
Peromyscus, 466

Peromyscus maniculatus, 499
Sigmodon, 466
Indiana:
Myotis lucifugus, 152
Myotis sodalis, 152
Procyon lotor, 152
Indri indri, 584
Isoodon macrourus, 159
Ivory Coast:
Epomops buettikoferi, 485
Micropteropus pusillus, 485

Jalisco:
Peromyscus banderanus, 457
Peromyscus perfulvus, 466, 645
Sigmodon fulviventer, 467
Jameson, R. J.:
(see Payne, S. F.)
Johns, P. E.:
(see Hoppe, K. M.)

Kalina, J., and M. A. Adams:
Intermandibular gland secretions of larger Malayan mouse-deer (Tragulus napu), 715
Kansas:
Microtus ochrogaster, 357
Myotis velifer, 486
Neotoma floridana, 232
Sigmodon hispidus, 263, 357
Karyotype:
Akodon, 439
Akodon azarae, 206
Akodon dolores, 206
Akodon molinae, 206
Akodon mollis, 206
Akodon urichi, 206
Akodon varius, 206
Bolomys obscurus, 206
Ctenomys torquatus, 637
Didelphis albiventris, 702
Lutrelina crassicaudata, 702
Peromyscus banderanus, 457
Peromyscus guatemalensis, 457
Peromyscus gymnotis, 457
Peromyscus lepturus, 457
Peromyscus mexicanus, 457
Peromyscus nudipes, 643
Peromyscus perfulvus, 643
Peromyscus pirrensis, 643
Peromyscus yucatanicus, 457
Peromyscus zarhynchus, 457
Phyllotis darwini, 220
Proechimys amphichoricus, 15
Proechimys brevicauda, 15
Proechimys canicollis, 15
Proechimys cuvieri, 15
Proechimys decumanus, 10
Proechimys guairae, 15
Proechimys guyannensis, 15
Proechimys hendeei, 15
Proechimys iheringi, 15
Proechimys mincae, 10
Proechimys oconnelli, 10
Proechimys oris, 10
Proechimys poliopus, 15
Proechimys quadruplicatus, 10
Proechimys semispinosus, 15
Proechimys simonsi, 15
Proechimys steerei, 15
Proechimys trinitatis, 15
Proechimys urichi, 15
Reithrodontomys creper, 657
Reithrodontomys fulvescens, 657
Reithrodontomys megalotis, 657
Reithrodontomys montanus, 657
Reithrodontomys raviventris, 657
Reithrodontomys sumichrasti, 657
Spermophilus mexicanus, 118
Spermophilus tridecemlineatus, 118
Zygogeomys trichopus, 474
Katona, S. K.:
(see Martin, A. R.)
Keen, R.:
(see Hitchcock, H. B.)
Keith, E. O., R. S. Condit, and B. J. Le Bouef:
California sea lions breeding at Ano Nuevo Island, California, 695
Keith, J. H.:
(see Munson, P. J.)
Kennedy, M. L., and S. L. Lindsay:
Morphologic variation in the raccoon, Procyon lotor, and its relationship to genic and environmental variation, 195
Kentucky:
Ochrotomys nuttalli, 577
Kenya:
Tachyoryctes splendens, 149
Klevezal', G. A., and A. C. Myrick, Jr.
Marks in tooth dentine of female dolphins (genus Stenella) as indicators of parturition, 103
Kohatius coppensi, 722
Kotler, B. P.:
Harvesting rates and predatory risk in desert rodents: a comparison of two communities on different continents, 91
Kotter, M. M., and R. C. Farentinos:
Tassel-eared squirrels as spore dispersal agents of hypogeous mycorrhizal fungi, 684
Krause, D. W.:
(see Rose, K. D.)
Kurta, A.:
(see Hitchcock, H. B.)

Lacki, M. J., M. J. Gregory, and P. K. Williams:
Summer activity of Tamias striatus in response to supplemented food, 521
Lama:
glama, 214
huanacus, 214
pacos, 214
Lasiurus borealis, 710
Lavoie, K. H.:
(see Studier, E. H.)
Lazell, J. D., Jr.:
A new marsh rabbit (Sylvilagus palustris) from Florida's Lower Keys, 26

Le Bouef, B. J.:
(see Condit, R.)
Le Bouef, B. J.:
(see Keith, E. O.)
Lee, M. R.:
(see Fuller, B.)
Lemmus sibiricus, 139
Lemur:
catta, 584
fulvus, 584
Lenarz, M. S.:
(see Brisbin, I. L., Jr.)
Lenoxus, 438
Leonard, M. L., and M. B. Fenton:
Echolocation calls of Euderma maculatum (Vespertilionidae): use in orientation and communication, 122
Lepilemur mustelinus, 584
Lepri, J. J., and P. F. Noden:
Reproductive function is independent of photoperiod in adult male Microtus pinetorum, 696
Lepus:
californicus, 136, 718
europaeus, 424, 515
Lessa, E. P.:
(see Freitas, T. R. O.)
Liberg, O.:
Food habits and prey impact by feral and housebased domestic cats in a rural area in southern Sweden, 424
Lidicker, W. Z., Jr.:
(see Heske, E. J.)
Limnolagus, 30
Lindroth, R. L., and G. O. Batzli:
Food habits of the meadow vole (Microtus pennsylvanicus) in bluegrass and prairie habitats, 600
Lindroth, R. L., G. O. Batzli, and G. R. Guntenspergen:
Artificial diets for use in nutritional studies with microtine rodents, 139
Lindsay, S. L.:
(see Kennedy, M. L.)
Lishak, R. S.:
Alarm vocalizations of adult gray squirrels, 681
Litter size:
Antrozous pallidus, 317
Dipodomys merriami, 338
Dipodomys microps, 338
Phyllotis darwini, 222
Ursus americanus, 511
Vulpes vulpes, 246
Locomotion:
Acinonyx jubatus, 718
Antilocapra americana, 718
Elephas maximus, 718
Lepus americanus, 718
Lonchophylla:
handleyi, 709
robusta, 709
Longevity:
Eptesicus fuscus, 126
Myotis leibii, 126
Louisiana:
Procyon lotor, 199
Sigmodon hispidus, 263
Lutreolina crassicaudata, 702

Macaca fuscata, 341
Mace, G. M.:
(see Zullinger, E. M.)
Macroglossus:
lagochilus, 1
minimus, 1
Macropus eugenii, 160
Macrotus waterhousei, 395
Makalata armata, 23
Manitoba:
Canis lupus, 693
Microtus pennsylvanicus, 263
Ursus maritimus, 693
Marmosa:
elegans, 439, 515
mexicana, 160
Marmota:
flaviventris, 73, 689
monax, 73
Martes americana, 381
Martin, A. R., S. K. Katona, D. Matilla, D. Hembree, and T. D. Waters:
Migration of humpback whales between the Caribbean and Iceland, 330
Maser, C., and D. E. Toweill:
Bacula of mountain lion, Felis concolor, and bobcat, F. rufus, 496
Massachusetts:
Microtus pennsylvanicus, 85
Mus musculus, 697
Peromyscus leucopus, 699
Peromyscus maniculatus, 699
Matilla, D.:
(see Martin, A. R.)
Maxson, L. R.:
(see Fuller, B.)
Mazama:
americana, 310
gouazoubira, 310
McGuire, S.:
(see Caire, W.)
McShea, W. J., and E. N. Francq:
Microhabitat selection by Peromyscus leucopus, 675
Measurements:
Alopex lagopus, 36
Ctenomys torquatus, 637
Eutamias quadrivittatus, 444
Felis rufus, 111
Odocoileus virginianus, 46
Ovis dalli, 513
Peromyscus leucopus, 99
Stenella attenuata, 375
Vulpes vulpes, 38
Mech, L. D.:
(see Nelson, M. E.)

Megaptera novaeangliae, 330
Merani, S.:
(see Bianchi, N. O.)
Meriones:
crassus, 92
unguiculatus, 256
Mesocricetus auratus, 231
Metabolism:
Canis latrans, 51
Lemur fulvus, 584
Vulpes macrotis, 51
Michener, G. R.:
Sexual differences in body weight patterns of Richardson's ground squirrels during the breeding season, 59
Michoacan:
Sigmodon alleni, 467
Zygogeomys trichopus, 474
Microcebus murinus, 584
Microdipodops pallidus, 92
Micropteropus pusillus, 395, 485
Microtus:
agrestis, 424, 696
breweri, 85
californicus, 271, 696
longicaudus, 325
montanus, 276, 325, 678
ochrogaster, 72, 139, 263, 357, 467, 600
oeconomus, 139
pennsylvanicus, 72, 85, 139, 231, 263, 472, 600, 691, 727
pinetorum, 696
townsendi, 72, 729
Microxus, 438
Migration:
Cervus elaphus, 524
Megaptera novaeangliae, 330
Mirounga angustirostris, 288
Minnesota:
Canis lupus, 143
Castor canadensis, 347
Odocoileus virginianus, 143, 567
Miocene:
Microtinae, 471
Mirounga, 163:
angustirostris, 281, 334
leonina, 395
Moen, A. N., and C. W. Severinghaus:
Hair depths of the winter coat of white-tailed deer, 497
Molossops planirostris, 710
Molossus molossus, 395
Mongolia:
Altanius orlovi, 721
Montana:
Bison bison, 418
Mormoops megalophylla, 709
Morphology:
Akodon longipilis, 433
Akodon olivaceus, 433
Anoura caudifer, 482
Anoura cultrata, 482
Antrozous pallidus, 480
Capromys, 19
Cardioderma cor, 482
Chrotopterus auritus, 482
Clyomys, 19
Coendou, 19
Ctenomys, 19
Erethizon, 19
Ernanodon antelios, 155
Euryzygomatomys, 19
Eutamias quadrivittatus, 442
Felis concolor, 496
Felis rufus, 111, 496
Hoplomys gymnurus, 11
Myocastor, 19
Octodon, 19
Odocoileus virginianus, 44
Phyllotis darwini, 222
Proechimys albispinus, 13
Proechimys amphicoricus, 13
Proechimys bolivianus, 14
Proechimys brevicauda, 10
Proechimys canicollis, 14
Proechimys chrysaeolus, 14
Proechimys cuvieri, 14
Proechimys decumanus, 14
Proechimys goeldi, 14
Proechimys guairae, 10
Proechimys gularis, 14
Proechimys guyannensis, 14
Proechimys hendeei, 14
Proechimys hoplomyoides, 14
Proechimys iheringi, 13
Proechimys longicaudatus, 14
Proechimys magdalenae, 14
Proechimys mincae, 13
Proechimys myosurus, 13
Proechimys oconnelli, 13
Proechimys oris, 14
Proechimys poliopus, 14
Proechimys quadruplicatus, 14
Proechimys roberti, 14
Proechimys semispinosus, 10
Proechimys setosus, 13
Proechimys simonsi, 13
Proechimys steerei, 14
Proechimys trinitatis, 13
Proechimys urichi, 14
Saccopteryx bilineata, 482
Stenella attenuata, 375
Sylvilagus palustris, 26
Tadarida brasiliensis, 388, 482
Taphozous hildebrandti, 482
Trachops cirrhosus, 482
Mortality:
Spermophilus columbianus, 137
Stenella attenuata, 375
Movement:
Cervus elaphus, 524
Microtus ochrogaster, 357
Mustela nivalis, 518
Odocoileus hemionus, 404
Sigmodon hispidus, 357

Munson, P. J., and J. H. Keith:
Prehistoric raccoon predation on hibernating Myotis, Wyandotte Cave, Indiana, 152
Muntiacus muntjak, 309
Murie, J. O., and D. A. Boag:
The relationship of body weight to overwinter survival in Columbian ground squirrels, 688
Mus musculus, 98, 226, 231, 256, 697
Mustela:
erminea, 426
nivalis, 517
Myotis:
keenii, 127
lucifugus, 5, 122, 127, 319, 388, 395
magnamolaris, 485
subulatus, 127
velifer, 155, 320, 485

Nanodelphys, 544
Napaeozapus insignis, 700
Nasalis, 163
Nebraska:
Bison bison, 418
Nelson, K., R. J. Baker, H. S. Shellhammer, and R. K. Chesser:
Test of alternative hypotheses concerning the origin of Reithrodontomys raviventris: genetic analysis, 668
Nelson, M. E., and L. D. Mech:
Observation of a swimming wolf killing a swimming deer, 143
Nelson, M. E. and L. D. Mech:
Home-range formation and dispersal of deer in northeastern Minnesota, 567
Neotamias, 450
Neotoma:
albigula, 354, 563
cinerea, 563
findleyi, 561
floridana, 231, 563
goldmani, 563
lepida, 81, 563
mexicana, 563
micropus, 563
minutus, 565
pygmaea, 564
stephensi, 563
Neotragus batesi, 298
New Hampshire:
Peromyscus leucopus, 675
New Mexico:
Eutamias quadrivittatus, 443
Neotoma *findleyi*, 561
Neotoma *pygmaea*, 564
Peromyscus eremicus, 467
Peromyscus truei, 467
Noctilio:
albiventris, 711
leporinus, 395, 712
Noden, P. F.:
(see Lepri, J.J.)
North Carolina:
Microtus pinetorum, 696
Procyon lotor, 199
Reithrodontomys humulus, 670
Sylvilagus palustris, 28
North Dakota:
Vulpes vulpes, 246
Notiomys, 439
Nova Scotia:
Halichoerus grypus, 291
Phoca vitulina, 291
Nuevo Leon:
Sigmodon hispidus, 467
Nyctereutes, 557
Nycteris thebaica, 395
Nycticebus coucang, 393, 590
Nyctinomops:
laticaudatus, 710
macrotis, 710

Oaxaca:
Peromyscus lepturus, 459
Peromyscus mexicanus, 459, 467
Sigmodon mascotensis, 467
Obituary:
Kazimierz Petrusewicz, 1906–1982, 170
Ochotona princeps, 73
Ochrotomys nuttalli, 466, 576
Odobenus rosmarus, 352
Odocoileus:
hemionus, 48, 404, 410, 572
virginianus, 31, 143, 375, 407, 415, 421, 497, 567
Ohio:
Peromyscus leucopus, 577
Tamias striatus, 521
Ohmart, R. D.:
(see Golightly, R. T., Jr.)
Oklahoma:
Eptesicus fuscus, 320
Eutamias quadrivittatus, 455
Myotis velifer, 320, 486
Pipistrellus subflavus, 320
Plecotus townsendii, 320
Procyon lotor, 199
Tadarida brasiliensis, 320
Oligocene:
Peratherium *africanus*, 540
Ontario:
Eptesicus fuscus, 126
Myotis leibii, 126
Ontogeny:
Chiroderma villosum, 164
Sturnira lilium, 164
Uroderma bilobatum, 164
Onychomys torridus, 354
Oregon:
Enhydra lutris, 527
Mirounga angustirostris, 281
Sylvilagus nuttalli, 131
Orthogeomys grandis, 474
Oryctolagus, 30:
cuniculus, 132, 424
Oryzomys:
argentatus, 31

longicaudatus, 439, 515
palustris, 31
Ostfeld, R. S.:
(see Heske, E. J.)
Otolemur crassicaudatus, 590
Otomops martiensseni, 395
Ovibos moschatus, 422
Ovis:
aries, 337
canadensis, 337, 415, 422
dalli, 421, 513
Oxymycterus, 217:
rufus, 439
rutilans, 438

Pacific Ocean:
Stenella attenuata, 375
Paleocene:
Ernanodon antelios, 155
Panama:
Orthogeomys grandis, 474
Peromyscus nudipes, 645
Peromyscus pirrensis, 645
Proechimys decumanus, 17
Proechimys semispinosus, 17
Sciurus granatensis, 342
Sciurus variegatoides, 342
Sigmodon hispidus, 467
Uroderma bilobatus, 163
Panthera leo, 593
Pappogeomys:
castanops, 73
gymnurus, 474
Papua New Guinea:
Macroglossus lagochilus, 1
Parturition:
Bison bison, 420
Callorhinus ursinus, 333
Stenella attenuata, 103
Stenella longirostris, 103
Patterson, B. D.:
Geographic variation and taxonomy of Colorado and Hopi chipmunks (genus Eutamias), 442
Patterson, R. G.:
(see Shackleton, D. M.)
Payne, S. F., and R. J. Jameson:
Early behavioral development of the sea otter, Enhydra lutris, 527
Pelage:
Odocoileus virginianus, 497
Ursus americanus, 350
Pengilly, D.:
Developmental versus functional explanations for patterns of variability and correlation in the dentitions of foxes, 34
Pennsylvania:
Peromyscus maniculatus, 672
Ursus americanus, 511
Penthetor lucasi, 395
Perameles nasuta, 159
Peratherium:
africanus, 540
antiquu, 540
bretouense, 540
cayluxi, 543
constans, 543
cuvieri, 540
elegans, 540
lavergnense, 540
matronense, 543
monspeliense, 543
perrierense, 540
sudrei, 543
Perodicticus potto, 590
Perognathus:
amplus, 354
longimembris, 92
penicillatus, 354
Peromyscus:
alstoni, 459
attwateri, 459, 467
banderanus, 457, 466
boylii, 459, 467
californicus, 459
crinitus, 459
difficilis, 459
eremicus, 459, 467
floridanus, 459
gossypinus, 459, 467
guatemalensis, 457
gymnotis, 457
hooperi, 466
lepturus, 457
leucopus, 97, 459, 466, 576, 675, 696, 699
maniculatus, 72, 85, 92, 98, 325, 459, 467, 499, 504, 678, 696, 699
melanophrys, 467
melanotis, 459
merriami, 459, 466
mexicanus, 457, 467
nudipes, 643
ochraventer, 459
oreas, 459
pectoralis, 459, 467
perfulvus, 466, 643
pirrensis, 643
polionotus, 356, 459
thomasi, 459
truei, 85, 459
yucatanicus, 457
zarhynchus, 457
Peru:
Akodon, 438
Artibeus jamaicensis, 710
Caenolestes fuliginosus, 328
Chiroderma salvini, 710
Choeroniscus minor, 710
Enchisthenes harti, 710
Eumops hansae, 710
Glossophaga commisarisi, 709
Lonchophylla handleyi, 709
Lonchophylla robusta, 709
Molossops planirostris, 710
Mormoops megalophylla, 709
Proechimys decumanus, 23
Proechimys guairae, 20
Proechimys guyannensis, 20
Proechimys brevicauda, 16
Proechimys quadruplicatus, 16

Proechimys simonsi, 14
Proechimys steerei, 15
Stenella attenuata, 376
Petauroides volans, 160
Phillips, C. J.:
(see Feldman, J. L.)
Phoca:
groenlandica, 334
vitulina, 288, 291, 335
Phocoena phocoena, 491
Phyllostomus:
discolor, 710
hastatus, 388
Phyllotis:
darwini, 216, 220, 435, 515
magister, 216
osgoodi, 216
xanthopygus, 229
Phylogeny:
Peromyscus, 466, 643
Peromyscus banderanus, 457
Peromyscus guatemalensis, 457
Peromyscus gymnotis, 457
Peromyscus lepturus, 457
Peromyscus mexicanus, 457
Peromyscus yucantanicus, 457
Peromyscus zarhynchus, 457
Reithrodontomys, 655
Sigmodon, 466
Spethos pacivorus, 557
Physiology:
Crocuta crocuta, 593
Panthera leo, 593
Pipistrellus subflavus, 127, 320
Pitymys ochrogaster, 560
Plecotus townsendii, 320
Pleistocene:
Neotoma *findleyi*, 561
Neotoma *pygmaea* 564
Speothos pacivorus, 549
Pliocene:
Zygogeomys, 474
Poiani, A.:
(see Simonetti, J. A.)
Population:
Microtus pennsylvanicus, 727
Sigmodon hispidus, 263
Felis catus, 425
Odocoileus hemionus, 410
Sylvilagus nuttallii, 131
Vulpes vulpes, 246
Zalophus californianus, 695
Zygogeomys trichopus, 474
Porter, J. H.:
(see Dueser, R. D.)
Potamochoerus porcus, 298
Predation:
Bison bison, 418
Canis lupus, 693
Dipodomys deserti, 92
Dipodomys merriami, 92
Dipodomys microps, 92
Felis catus, 424
Gerbillus allenbyi, 92
Gerbillus henleyi, 92
Gerbillus pyramidum, 92
Meriones crassus, 92
Odobenus rosmarus, 352
Peromyscus maniculatus, 92
Procyon lotor, 152
Ursus maritimus, 352, 693
Price, M. V., N. M. Waser, and T. A. Bass:
Effects of moonlight on microhabitat use by desert rodents, 353
Proechimys:
albispinus, 13
amphichoricus, 13
bolivianus, 14
brevicauda, 10
canicollis, 14
centralis, 21
cherrieri, 20
chrysaeolus, 14
cuvieri, 14
decumanus, 10
goeldi, 14
guairae, 10
gularis, 10
guyannensis, 14
hendeei, 21
hilda, 21
hoplomyoides, 14
iheringi, 13
longicaudatus, 14
magdalenae, 14
mincae, 10
myosurus, 13
oconnelli, 10
oris, 10
pachita, 21
poliopus, 14
quadruplicatus, 10
rattinus, 21
roberti, 14
semispinosus, 10
setosus, 13
simonsi, 13
steerei, 14
trinitatis, 13
urichi, 14
warreni, 21
Procyon lotor, 31, 195
Propithecus verreauxi, 584
Proteles cristatus, 157
Pseudalopex, 557
Pteronotus:
davyi, 710
parnellii, 393
Pteropus gouldi, 388
Pyke, D. A.:
Initial effects of volcanic ash from Mount St. Helens on Peromyscus maniculatus and Microtus montanus, 678

Radinsky, L., and S. Y. Ting:
The skull of Ernanodon, an unusual fossil mammal, 155
Raedeke, K. J.:
(see Simonetti, J. A.)

Ramsay, M. A., and I. Stirling:
Interaction of wolves and polar bears in northern Manitoba, 693
Rangifer tarandus, 421, 693
Raphael, M. G.:
Late fall breeding of the northern flying squirrel, Glaucomys sabrinus, 138
Rattus:
norvegicus, 226, 231, 426
rattus, 226
Redford, K. M.:
(see Zullinger, E. M.)
Redunca fulvorufula, 421
Reich, L. M., and R. H. Tamarin:
Multiple capture trap associations of meadow voles (Microtus pennsylvanicus), 85
Reithrodontomys:
creper, 655, 668
fulvescens, 85, 278, 655, 668
gracilis, 655
humulis, 655, 668
megalotis, 85, 271, 655, 668
mexicanus, 655
montanus, 655, 668
raviventris, 655, 668
sumichrasti, 655, 668
tenuirostis, 655
zacatecae, 668
Reproduction:
Bison bison, 418
Callorhinus ursinus, 333
Dipodomys merriami, 338
Dipodomys microps, 338
Glaucomys sabrinus, 138
Halichoerus grypus, 291
Macaca fuscata, 341
Microtus californicus, 271
Microtus pinetorum, 696
Mus musculus, 697
Ovis canadensis, 337
Peromyscus maniculatus, 504
Phocoena phocoena, 491
Phyllotis darwini, 220
Reithrodontomys megalotis, 271
Spermophilus richardsonii, 59
Vulpes vulpes, 246
Zygogeomys trichopus, 477
Rhinolophus affinis, 395
Rhinopoma hardwickei, 395
Ricklefs, R. E.:
(see Zullinger, E. M.)
Robbins, L. W.:
(see Hood, C. S.)
Rogers, D. S., I. F. Greenbaum, S. J. Gunn, and M. D. Engstrom:
Cytosystematic value of chromosomal inversion data in the genus Peromyscus (Rodentia: Cricetidae), 457
Rose, K. D., and D. W. Krause:
Affinities of the primate Altanius from the early Tertiary of Mongolia, 721
Rose, R. K.:
(see Dueser, R. D.)
Rousettus:
aegyptiacus, 6
angolensis, 6
Royce, M. A.:
(see Caire, W.)
Rutberg, A. T.:
Birth synchrony in American bison (Bison bison): response to predation or season?, 418

Saccopteryx bilineata, 482
Sakai, T., and E. W. van Lennep:
The harderian gland in Australian marsupials, 159
Sauer, J. R.:
(see Slade, N. A.)
Scalopus aquaticus, 81
Scapteromys, 439
Scent marking:
Tragulus napu, 715
Scent production:
Noctilio albiventris, 711
Noctilio leporinus, 711
Schnell, G. D.:
(see Douglas, M. E.)
Sciurus:
aberti, 684
carolinensis, 231, 681
granatenis, 342
griseus, 685
igniventris, 344
spadiceus, 344
variegatoides, 342
Seip, D. R., and F. L. Bunnell:
Body weights and measurements of Stone's sheep, 513
Seluja, G. A., M. V. Di Tomaso, N. Brum-Zorrilla, and H. Cardosa:
Low karyotypic variation in two didelphids (Marsupialia): karyogram and chromosome banding analysis, 702
Severinghaus, C. W.:
(see Moen, A. N.)
Sex ratio:
Odocoileus hemionus, 412
Sexual dimorphism:
Procyon lotor, 197
Macroglossus lagochilus, 1
Shackleton, D. M., R. G. Patterson, J. Haywood, and A. Bottrell:
Gestation period in Ovis canadensis, 337
Shellhammer, H. S.:
(see Hood, C. S.)
(see Nelson, K.)
Sigmodon:
alleni, 467
arizonae, 467
fulviventer, 467
hispidus, 31, 263, 279, 357, 467
leucotis, 467
mascotensis, 467
ochrognathus, 467
Simons, E. L., and T. M. Brown:
A new species of Peratherium (Didelphidae;

Polyprotodonta): the first African marsupial, 539
Simons, L. S.:
Seasonality of reproduction and dentinal structures in the harbor porpoise (Phocoena phocoena) of the north Pacific, 491
Simonetti, J. A., A. Poiani, and K. J. Raedeke:
Food habits of Dusicyon griseus in northern Chile, 515
Sinsel, F.:
(see Aurioles, D.)
Slade, N. A.:
(see Swihart, R. K.)
Slade, N. A., J. R. Sauer, and G. E. Glass:
Seasonal variation in field-determined growth rates of the hispid cotton rat (Sigmodon hispidus), 263
Sminthopsis:
crassicaudata, 160
murina, 160
Smith, J. D.:
(see Hood, C. S.)
Smith, J. F.:
(see Caire, W.)
Smith, M. H.:
(see Hoppe, K. M.)
Social structure:
Bison bison, 418
Odocoileus hemionus, 410
Sorex:
lyelli, 325
merriami, 325
monticolus, 326
palustris, 325
preblei, 325, 708
tenellus, 325
trowbridgii, 326
unguiculatus, 160
vagrans, 325
South Africa:
Crocuta crocuta, 593
Panthera leo, 593
South Carolina:
Castor canadensis, 673
Ochrotomys nuttalli, 577
Odocoileus virginianus, 44
Procyon lotor, 199
Sylvilagus palustris, 28
South Dakota:
Bison bison, 418
Spatial association:
Bison bison, 418
Odocoileus hemionus, 410
Speciation:
Phyllotis darwini, 220
Speothos:
major, 549
pacivorus, 549
venaticus, 549
Spermophilus:
armatus, 64, 73
beecheyi, 73
beldingi, 64, 137, 489
columbianus, 137, 688
elegans, 64
lateralis, 326
mexicanus, 118, 231
parryii, 64
richardsonii, 59, 690
tridecemlineatus, 118, 231
Spotorno, A. E.:
(see Walker, L. I.)
Stangl, F. B., Jr.:
(see Dalquest, W. W.)
Stangl, F. B., Jr., and R. J. Baker:
Evolutionary relationships in Peromyscus: congruence in chromosomal, genic, and classical data sets, 643
Stellflug, J. N.:
(see Green, J. S.)
Stenella:
attenuata, 103, 375
longirostris, 103
Stirling, I.:
A group threat display given by walruses to a polar bear, 352
Stirling, I:
(see Ramsay, M. A.)
Stoddart, L. C.:
Site fidelity and grouping of neonatal jack rabbits, Lepus californicus, 136
Straney, D. O.:
The nasal bones of Chiroderma (Phyllostomidae), 163
Studier, E. H., and K. H. Lavoie:
Microbial involvement in scent production in noctilionid bats, 711
Sturnira lilium, 163
Survival rates:
Spermophilus columbianus, 688
Sus scrofa, 44
Sweden:
Felis catus, 424
Vulpes vulpes, 246
Sweeney, J. M., and J. R. Sweeney:
Snow depths influencing winter movements of elk, 524
Sweeney, J. R.:
(see Sweeney, J. M.)
Swihart, R. K., and N. A. Slade:
Road crossing in Sigmodon hispidus and Microtus ochrogaster, 357
Sylvicapra grimmia, 310
Sylvilagus:
aquaticus, 30
brasiliensis, 30
cuniculus, 30
idahoensis, 134
floridanus, 30
nuttallii, 131, 560
palustris, 26
palustris *hefneri*, 26
transitionalis, 30
Synaptomys cooperi, 72
Syncerus caffer, 298, 421
Systematics:
Eutamias quadrivittatus, 442
Peromyscus banderanus, 457

Peromyscus guatemalensis, 457
Peromyscus gymnotis, 457
Peromyscus lepturus, 457
Peromyscus yucatanicus, 457
Peromyscus zarhynchus, 457
Stenella attenuata, 345

Tachyoryctes splendens, 81, 149
Tadarida brasiliensis, 320, 388, 482
Talpa europaea, 81
Tamarin, R. H.:
Body mass as a criterion of dispersal in voles: a critique, 691
Tamias, 450:
amoenus, 325
striatus, 521, 700
Tamiasciurus:
douglasi, 685
hudsonicus, 685
Tanos, G.:
(see Aurioles, D.)
Taphozous:
hildebrandti, 482
melanopogon, 395
Tapirus, 163
Taxonomy:
Altanius orlovi, 721
Eutamias quadrivittatus, 442
Myotis magnamolaris, 485
Myotis vilifer, 485
Peratherium *africanus*, 540
Peromyscus banderanus, 457
Peromyscus guatemalensis, 457
Peromyscus gymnotis, 457
Peromyscus lepturus, 457
Peromyscus mexicanus, 457
Peromyscus yucatanicus, 457
Peromyscus zarhynchus, 457
Speothos pacivorus, 549
Sylvilagus palustris, 26
Taurotragus euryceros, 298
Techniques:
Fitting growth curves, 607
Radioactive tagging, 76
Teilhardina, 721
Tennessee:
Sigmodon hispidus, 263
Terman, C. R.:
Sexual maturation of male and female white-footed mice (Peromyscus leucopus noveboracensis): influence of physical or urine contact with adults, 97
Terman, C. R.:
Sexual development of female prairie deermice: influence of physical versus urine contact with grouped or isolated adult females, 504
Texas:
Geomys attwateri, 67
Geomys bursarius, 232
Myotis magnamolaris, 485
Myotis velifer, 486
Neotoma micropus, 672
Ochrotomys nuttalli, 467
Peromyscus attwateri, 467
Peromyscus gossypinus, 467
Procyon lotor, 199
Reithrodontomys fulvescens, 670
Reithrodontomys megalotis, 670
Reithrodontomys montanus, 670
Sigmodon hispidus, 263, 467, 672
Spermophilus mexicanus, 118
Spermophilus tridecemlineatus, 118
Thaptomys, 217
Thermoregulation:
Lemur fulvus, 584
Ochrotomys nuttalli, 577
Peromyscus leucopus, 577
Thomas, D. W.:
Moth scales in feces of fruit bats: evidence of insectivory or fruit contamination?, 484
Thomas, D. W., B. Crawford, S. Eastman, R. Glofscheskie, and M. Heir:
A reappraisal of the feeding adaptations in the hairs of nectar-feeding bats, 481
Thomomys:
bottae, 73, 76, 226
monticola, 326
talpoides, 76, 325
umbrinus, 478
Timm, R. M.:
Tent construction by Vampyressa in Costa Rica, 166
Ting, S. Y.:
(see Radinsky, L.)
Tomasi, T. E., and R. S. Hoffmann:
Sorex preblei in Utah and Wyoming, 708
Tonatia silvicola, 710
Toweill, D. E.:
(see Maser, C.)
Trachops cirrhosus, 482
Tragelaphus:
scriptus, 310
spekei, 298
Tragulus napu, 715
Trichosurus vulpecula, 160
Trinidad:
Proechimys hoplomyoides, 23
Tumlison, R., and V. R. McDaniel:
Morphology, replacement mechanisms, and functional conservation in dental replacement patterns of the bobcat (Felis rufus), 111

Uroderma bilobatum, 163, 166
Ursus:
americanus, 350, 511, 693
arctos, 693
maritimus, 352, 693
Uruguay:
Akodon azarae, 438
Ctenomys torquatus, 637
Didelphis albiventris, 702
Lutreolina crassicaudata, 702
Utah:
Eutamias quadrivittatus, 442
Lepus californicus, 136
Sorex preblei, 708

Vampyressa, 163
Van Lennep, E. W.:
(see Sakai, T.)
Variation:
Alopex lagopus, 34
Castor canadensis, 673
Eutamias quadrivittatus, 442
Odocoileus virginianus, 44
Procyon lotor, 195
Stenella attenuata, 375
Vulpes vulpes, 34
Zygogeomys trichopus, 477
Venezuela:
Akodon, 433
Akodon urichi, 207
Proechimys canicollis, 15
Proechimys guairae, 20
Proechimys guyannensis, 20
Proechimys hoplomyoides, 23
Veracruz:
Peromyscus mexicanus, 459
Verts, B. J., S. D. Gehman, and K. J. Hundertmark:
Sylvilagus nuttallii: a semiarboreal lagomorph, 131
Vespertilio subulatus, 153
Virginia:
Peromyscus leucopus, 97, 145
Peromyscus maniculatus, 145
Sylvilagus palustris, 28
Vocalization:
Euderma maculatum, 122
Sciurus carolinensis, 681
Vulpes:
cana, 56
corsac, 56
macrotis, 51
rupelli, 56
vulpes, 246, 431

Waddell, T. E., and D. E. Brown:
Weights and colors of black bears in the Pinaleno Mountains, Arizona, 350
Walker, L. I., A. E. Spotorno, and J. Arrau:
Cytogenetic and reproductive studies of two nominal subspecies of Phyllotis darwini and their experimental hybrids, 220
Waser, N. M.:
(see Price, M. V.)
Washington:
Microtus montanus, 678
Mirounga angustirostris, 281
Odocoileus hemionus, 404
Peromyscus maniculatus, 678
Waterman, J. M.:
Infanticide in the Columbian ground squirrel, Spermophilus columbianus, 137
Waters, T. D.:
(see Martin, A. R.)
Weight:
Akodon longipilis, 433
Akodon olivaceous, 433
Bison bison, 418
Felis catus, 425
Geomys attwateri, 72
Microtus pennsylvanicus, 691
Ovis dalli, 513
Spermophilus columbianus, 688
Spermophilus richardsonii, 59
Ursus americanus, 350
Whateley, T.:
(see Green, B.)
Whitaker, J. O., Jr.:
(see Barkley, L. J.)
Williams, D. F.:
Habitat associations of some rare shrews (Sorex) from California, 325
Williams, L. R., and G. N. Cameron:
Demography of dispersal in Attwater's pocket gopher (Geomys attwateri), 67
Williams, P. K.:
(see Lacki, M. J.)
Wilson, M. I.:
(see Daly, M.)
Woodruff, R. A.:
(see Green, J. S.)
Wyoming:
Sorex preblei, 708

Yuill, T. M.:
(see Fairbrother, A.)

Zacatecas:
Sigmodon leucotis, 467
Zalophus californianus, 288, 334, 519, 695
Zapus princeps, 326
Zoogeography:
Peratherium *africanus*, 540
Zullinger, E. M., R. E. Ricklefs, K. M. Redford, and G. M. Mace:
Fitting sigmoidal equations to mammalian growth curves, 607
Zygogeomys trichopus, 474

REVIEWS

Baker, R. H.:
Michigan mammals, reviewed by G. L. Kirkland, 365
Beck, B., and C. Wemmer (eds.):
The biology and management of an extinct species, Pere David's deer, reviewed by C. Jones, 176
Gaskin, D. E.:
The ecology of whales and dolphins, reviewed by R. L. Brownell, Jr., 533
Gould, J.:
The mammals of Australia (with modern notes by J. M. Dixon), reviewed by J. K. Jones, Jr., 532

Jones, J. K., Jr., D. M. Armstrong, R. S. Hoffmann, and C. Jones:
Mammals of the northern Great Plains, reviewed by H. H. Genoways, 727
Kingdon, J.:
East African mammals, an atlas of evolution in Africa, reviewed by R. D. Estes, 361
Lyman, C. P., J. S. Willis, A. Malan, and L. C. H. Wang:
Hibernation and torpor in mammals and birds, reviewed by A. J. Pinter, 172
McDonald, J. N.:
North American bison: their classification and evolution, reviewed by R. D. Guthrie, 362
Nowak, R. M., and J. L. Paradiso:
Walker's mammals of the world, reviewed by J. K. Jones, Jr., 171
Oxnard, C.:
The order of man: a biomathematical anatomy of the primates, reviewed by C. Jones, 534
Powell, R. A.:
The fisher: life history, ecology, and behavior, reviewed by M. W. Coulter, 171
Savage, D. E., and D. E. Russell:
Mammalian paleofaunas of the world, reviewed by M. R. Dawson, 176
Schmidly D. J.:
Texas mammals east of the Balcones fault zone, reviewed by C. Jones and C. A. Jones, 365
Smithers, R. H. N.:
The mammals of the southern African subregion, reviewed by J. Meester, 728
Van Zyll de Jong, C. G.:
Handbook of Canadian mammals. 1. Marsupials and insectivores, reviewed by R. S. Hoffmann, 532
Walther, F. R., E. C. Mungall, and G. A. Grau:
Gazelles and their relatives. A study in territorial behavior, reviewed by K. Ralls and K. Kranz, 175
Wolfheim, J. H.:
Primates of the World: distribution, abundance, and conservation, reviewed by C. H. Southwick, 367